

설계데이터관리, 더빠르고 손쉽게 

Quick Manager

퀵매니저상품 소개서

(주)위버맨시

www.overman.co.kr

위버맨시 고객의 설계 환경은 달라야합니다

Quick Manager

고객의 목소리를 듣다

단순 반복 작업이 너무 지겨워요


전체 속성 구조 한눈에 볼 수 있는 방법 없나요?

엑셀로 BOM 관리해야 하는데 골치 아파요

승인 도면을 모두 PDF로 변환해야 하는데 양이 너무 많아요

개별 부품 속성값, 한 번에 입력 안 되나요?

신규 프로젝트마다 파일을 새로 만들어야 된다고?!



속성 작업의 불편함, 비효율적인 반복 작업, 설계 표준의 부재…

이제 Quick Manager 하나로 해결됩니다!

위버맨시 자체 개발 API 솔루션

Quick Manager


위버맨시 자체 개발 API 솔루션 **Quick Manager**는

파일 관리, 속성 관리 기능을 활용해 설계 효율을 높이는 툴입니다.

직관적인 인터페이스와 핵심 기능을 활용해 설계 작업 중 발생하는
반복 작업을 줄이고 설계 속성 관리를 편리하게 도와줍니다.

위버맨시 고객이라면 누구나 제공받을 수 있으며

SOLIDWORKS 사용 중 필요한 기술 지원 및 교육 관련 콘텐츠
다이렉트 링크가 포함되어 더욱 유용합니다.



■ 인터페이스



Quick Manager

사용자 정의 속성 입력 및 파일 변환 등
Quick Manager 버튼 실행

교육 지원

- 1) 교육 일정
위버맨시 블로그 연결
- 2) 교육 신청
위버맨시 홈페이지 연결
- 3) 온라인 강의
위버맨시 유튜브 채널 연결

기술 지원

- 1) 전화 문의
근거리 지사 콜센터 정보 확인

2) 카톡 문의
위버맨시 카카오 채널 채팅창 연결

*오류 내용 캡처, 파일 전달 등 유선 상
전달이 어려운 내용 문의 시 유용합니다

3) 원격 지원
버튼 클릭 시 원격 프로그램 실행

■ 주요 기능

Quick Manager

Property Manager for **SOLIDWORKS**

초기화 파일관리 동기화 작업관리 엑셀출력

속성저장 속성설정 검색

... SOLIDWORKS Property DATA View

레벨	부품명	수량	SR-REV	MATERIAL	MASS	MANUFACTURER	MFG-PN
1 0	02872	1	A	SEE BOM	20.55	ANY SOURCE	SEE SR-PN
2 1	00204	1	4	SEE BOM	0.74	ANY SOURCE	SEE SR-PN
3 1-1	00203	1	4	Nylon 6/10.	1.589	ANY SOURCE	-
4 1-2	INSERT, THREADED, M5 X 0.8 THRE	8	1	Brass.	0.01	Emhart Fastening	6075-5BR111
5 1-3	INSERT, THREADED, .164-32 UNC-2	1	1	Brass.	0.00	Emhart Fastening	6035-2BR312
6 2	01506	1	A	SEE BOM	1150.00	ANY SOURCE	SEE SR-PN
7 2-1	TSL 70mm Thruster PA-THR-0014-A	1	1	6061-T6 (SS)	1.150	ANY SOURCE	-
8 3	00154_FWD_THRUSTER	1	1	AISI 316 Stainless	0.087	ANY SOURCE	-
9 4	00189	1	4	Buna-N	0.004	ANY SOURCE	-
10 5	WASHER, SPLIT LOCK, M5 SCREW,	19	1	AISI 316 Stainless	0.379	ANY SOURCE	-
11 6	SCREW, SHCS, M5 X 0.8 MM THREA	8	1	AISI 316 Annealed	4.39	ANY SOURCE	-
12 7	02446	1	A	SEE NOTE 1	1.56	ANY SOURCE	SEE SR-PN
13 7-1	02445	1	A	LS Nylon 12 CF	1.452	ANY SOURCE	-
14 7-2	INSERT, THREADED, M5 X 0.8 THRE	4	1	Brass.	0.01	Emhart Fastening	6075-5BR111
15 7-3	INSERT, THREADED, .250-28 UNF-2	4	1	Brass.	0.01	Emhart Fastening	6041-4BR500
16 7-4	INSERT, THREADED, .164-32 UNC-2	5	1	Brass.	0.00	Emhart Fastening	6035-2BR312
17 7-5	INSERT, THREADED, M4 X 0.7 THRE	7	1	Brass.	0.00	Emhart Fastening	6075-4BR047
18 7-6	PIN, DOWEL, 6MM DIA X 16MM L, 3	6	1	AISI 316 Annealed	3.56	ANY SOURCE	-
19 8	01079	1	1	Delrin 2700 NCO1	1.700	ANY SOURCE	-
20 9	MCDLS-F	1	1	POM Acetal Copol	0.008	SUBCONN	MCDLS-F
21 10	MCDC8F	1	1	NEOPRENE	0.012	SUBCONN	MCDC8F

[STATUS] :: 파일경로 : D:\08_Program\0_개발프로그램\01_Quick Manager\2_Manual Model\Quick Manager 샘플 파일 \02872.SLDASM UBERMENSCH | Quick Manager 2021 v 3.3

속성 편집기

- ✓ 열려진 문서의 모든 속성 작업 가능
- ✓ 선택적 또는 일괄적으로 변경 가능
- ✓ 속성 타이틀 커스터마이징 가능
- ✓ 드롭다운 메뉴 구성 가능



■ 주요 기능

프로젝트 복사

The screenshot shows the 'Project Copy' section of the Quick Manager File Wizard. It includes fields for 'Project Path' (D:\08_Program\0_개발프로그램\01_Quick M), 'Copy Assy' (TopAssy), 'Copy Part' (대상문자), and 'Copy Job' (접두사). A 'Copy' button is present. Below is a table comparing 'Current File Name' and 'Copied File Name' for various parts.

현재파일명	복사파일명
00204	00304
00203	00303
3 INSERT, THREADED, M5 X 0.8 THREAD X 11	INSERT, THREADED, M5 X 0.8 THREAD X 11
4 INSERT, THREADED, .164-32 UNC-2B X .312	INSERT, THREADED, .164-32 UNC-2B X .312
5 01506	01506
6 TSL 70mm Thruster PA-THR-0014-A	TSL 70mm Thruster PA-THR-0014-A
7 00154_FWD_THRUSTER	00154_FWD_THRUSTER
8 00189	00189
9 WASHER, SPLIT LOCK, M5 SCREW, 5.4 MM II	WASHER, SPLIT LOCK, M5 SCREW, 5.4 MM II
10 SCREW, SHCS, M5 X 0.8 MM THREAD X 16	SCREW, SHCS, M5 X 0.8 MM THREAD X 16
11 02446	03446
12 02445	03445
13 INSERT, THREADED, M5 X 0.8 THREAD X 11	INSERT, THREADED, M5 X 0.8 THREAD X 11
14 INSERT, THREADED, .250-28 UNF-2B X .500	INSERT, THREADED, .250-28 UNF-2B X .500
15 INSERT, THREADED, .164-32 UNC-2B X .312	INSERT, THREADED, .164-32 UNC-2B X .312
16 INSERT, THREADED, M4 X 0.7 THREAD X 4.7	INSERT, THREADED, M4 X 0.7 THREAD X 4.7
17 PIN, DOWEL, 6MM DIA X 16MM L, 316SS	PIN, DOWEL, 6MM DIA X 16MM L, 316SS
18 01079	01079
19 MCDLS-F	MCDLS-F
20 MDCDF	MDCDF
21 SCREW, SHCS, M5 X 0.8 MM THREAD X 20	SCREW, SHCS, M5 X 0.8 MM THREAD X 20
22 WASHER, SPLIT LOCK, .250 NOM SCREW, .2	WASHER, SPLIT LOCK, .250 NOM SCREW, .2
23 SCREW, SHCS, .250-20 UNC-2A THREAD X .7	SCREW, SHCS, .250-20 UNC-2A THREAD X .7
24 00049	00049
25 6436K750 TWO-PIECE CLAMP-ON SHAFT C	6436K750 TWO-PIECE CLAMP-ON SHAFT C

진행상태

프로젝트 복사

- ✓ 저장 경로 지정 가능
- ✓ 원본 문서 유지 (사본 저장 개념)
- ✓ 특정 키워드 일괄 변경 가능
- ✓ 선택적 변경 가능

파일명 변경

The screenshot shows the 'File Rename' section of the Quick Manager File Wizard. It includes fields for 'Project Path' (D:\08_Program\0_개발프로그램\01_Quick M), 'Rename Assy' (TopAssy), 'Rename Part' (대상문자), and 'Rename Job' (접두사). A 'Rename' button is present. Below is a table comparing 'Current File Name' and 'Renamed File Name' for various parts.

현재파일명	복사파일명
00204	00304
00203	00303
3 INSERT, THREADED, M5 X 0.8 THREAD X 11	INSERT, THREADED, M5 X 0.8 THREAD X 11
4 INSERT, THREADED, .164-32 UNC-2B X .312	INSERT, THREADED, .164-32 UNC-2B X .312
5 01506	01506
6 TSL 70mm Thruster PA-THR-0014-A	TSL 70mm Thruster PA-THR-0014-A
7 00154_FWD_THRUSTER	00154_FWD_THRUSTER
8 00189	00189
9 WASHER, SPLIT LOCK, M5 SCREW, 5.4 MM II	WASHER, SPLIT LOCK, M5 SCREW, 5.4 MM II
10 SCREW, SHCS, M5 X 0.8 MM THREAD X 16	SCREW, SHCS, M5 X 0.8 MM THREAD X 16
11 02446	03446
12 02445	03445
13 INSERT, THREADED, M5 X 0.8 THREAD X 11	INSERT, THREADED, M5 X 0.8 THREAD X 11
14 INSERT, THREADED, .250-28 UNF-2B X .500	INSERT, THREADED, .250-28 UNF-2B X .500
15 INSERT, THREADED, .164-32 UNC-2B X .312	INSERT, THREADED, .164-32 UNC-2B X .312
16 INSERT, THREADED, M4 X 0.7 THREAD X 4.7	INSERT, THREADED, M4 X 0.7 THREAD X 4.7
17 PIN, DOWEL, 6MM DIA X 16MM L, 316SS	PIN, DOWEL, 6MM DIA X 16MM L, 316SS
18 01079	01079
19 MCDLS-F	MCDLS-F
20 MDCDF	MDCDF
21 SCREW, SHCS, M5 X 0.8 MM THREAD X 20	SCREW, SHCS, M5 X 0.8 MM THREAD X 20
22 WASHER, SPLIT LOCK, .250 NOM SCREW, .2	WASHER, SPLIT LOCK, .250 NOM SCREW, .2
23 SCREW, SHCS, .250-20 UNC-2A THREAD X .7	SCREW, SHCS, .250-20 UNC-2A THREAD X .7
24 00049	00049
25 6436K750 TWO-PIECE CLAMP-ON SHAFT C	6436K750 TWO-PIECE CLAMP-ON SHAFT C

진행상태

파일명 변경

- ✓ 참조 유지 된 상태로 변경
- ✓ 원본 문서 유지
- ✓ 도면 이름도 함께 변경

주요 기능



파일 변환

- ✓ 열린 문서의 모든 도면 파일을 PDF, DWG 변환
- ✓ 각각의 파일 형식 별로 폴더 생성되어 저장

	H	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	Title
	내별	-	부품명	수량	SR-REV	MATERIAL	MASS	MANUFACTURER	MFG-PN	VENOR	NOTES	ORIGINATOR	FINISH	CAGE		
1	0	02872		1	A	SEE BOM	20.55	ANY SOURCE	SEE SR-PN	ANY SOURCE	-	EVAN KURITZKE	NONE	-	02872	
5	1	00204		1	4	SEE BOM	0.74	ANY SOURCE	SEE SR-PN	ANY SOURCE	-	CHARLES O'CONN	NONE	-	00204	
6	1-1	00203		1	4	Nylon 6/10.	1.589	ANY SOURCE	-	ANY SOURCE	Designed for addt.	CHARLES O'CONN	NONE	-	00203	
7	1-2	INSERT, THREADED, M5 X 0.8 THRE		8	1	Brass.	0.01	Emhart Fastening 6075-58R111	STANLEY ENGINE	http://www.stan	CHARLES O'CONN	NONE	-	INSERT, T		
8	1-3	INSERT, THREADED, .164-32 UNC-2		1	1	Brass.	0.00	Emhart Fastening 6035-28R312	MCMASTER	Dodge® Family In	CHARLES O'CONN	NONE	2V507	INSERT, T		
9	2	01506		1	A	SEE BOM	1150.00	ANY SOURCE	SEE SR-PN	ANY SOURCE	-	CHARLES O'CONN	NONE	-	01506	
10	2-1	TSL 70mm Thruster PA-THR-0014-A		1	1	6061-T6 (SS)	1.150	ANY SOURCE	TSL Technology L-	CHARLES O'CONN	NONE	-	TSI 70mm	-		
11	3	00154_FWD_THRUSTER		1	1	AISI 316 Stainless	0.087	ANY SOURCE	-	MCMASTER	-	CHARLES O'CONN	NONE	2V507	00154_FWD	
12	4	00189		1	4	Buna-N	0.004	ANY SOURCE	-	ANY SOURCE	-	CHARLES O'CONN	NONE	-	00189	
13	5	WASHER, SPLIT LOCK, M5 SCREW,		19	1	AISI 316 Stainless	0.379	ANY SOURCE	-	MCMASTER	-	CHARLES O'CONN	NONE	2V507	WASHER,	
14	6	SCREW, SHCS, M5 X 0.8 MM THREA		8	1	AISI 316 Annealed	4.39	ANY SOURCE	-	MCMASTER-CARR-	-	CHARLES O'CONN	NONE	2V507	SCREW, SH	
15	7	02446		1	A	SEE NOTE 1	1.56	ANY SOURCE	SEE SR-PN	ANY SOURCE	-	CHARLES O'CONN SEE NOTE 2	-	-	02446	
16	7-1	02445		1	A	LS Nylon 12 CF	1.452	ANY SOURCE	-	ANY SOURCE	-	CHARLES O'CONN	NONE	-	02445	
17	7-2	INSERT, THREADED, M5 X 0.8 THRE		4	1	Brass.	0.01	Emhart Fastening 6075-58R111	STANLEY ENGINE	http://www.stan	CHARLES O'CONN	NONE	-	INSERT, T		
18	7-3	INSERT, THREADED, .250-28 UNF-2		4	1	Brass.	0.01	Emhart Fastening 6041-48R500	STANLEY ENGINE	-	CHARLES O'CONN	NONE	-	INSERT, T		
19	7-4	INSERT, THREADED, .164-32 UNC-2		5	1	Brass.	0.00	Emhart Fastening 6035-28R312	MCMASTER	Dodge® Family In	CHARLES O'CONN	NONE	2V507	INSERT, T		
20	7-5	INSERT, THREADED, M4 X 0.7 THRE		7	1	Brass.	0.00	Emhart Fastening 6075-48R047	STANLEY ENGINE	http://www.stan	CHARLES O'CONN	NONE	-	INSERT, T		

엑셀 출력

- ✓ 속성 편집기 테이블과 동일하게 엑셀 파일 출력

도입 비용 및 사용 기간



유형	유지보수 계약 고객	유지보수 만료 및 SOLIDWORKS 비구매 고객
비용	무료	담당 영업 협의
기간	유지보수 기간 내	연간 갱신 구독형

Thank you !

(주)위버맨시

서울특별시 영등포구 여의나루로 67 신송빌딩 6층

T. 02-2070-7929 / 02-2070-7916

E. qna@overman.co.kr

H. www.overman.co.kr



SOLIDWORKS 공인 리셀러

(주)위버맨시